

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	333	mode with (number near clock near (signals or cycles))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/08 14:41
L2	82	(serial with data) and mode with (number near clock near (signals or cycles))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/08 14:41
L3	82	(serial with data) and (mode with (number near clock near (signals or cycles)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/08 14:44
L4	5	(serial with data) same (mode with (number near clock near (signals or cycles)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/08 14:42
L5	4	(serial with data) and (mode with (number near clock near (signals or cycles))) same compared	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/08 14:45
L6	56	(serial with data) and (mode with (number near clock near (signals or cycles))) and compared	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/08 14:45
L7	18	(serial with data) and (mode with (number near clock near (signals or cycles))) and (compare\$2 same less)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/08 14:56
L8	20	"254554"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/08 14:57

S1	0	"09/937611"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 09:59
S2	2	"5557754".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 10:00
S3	2	"6128486".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/24 17:24
S4	2	"20020057730"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/24 19:56
S5	27	synchronous with (serial adj (transmission or communication)) with block	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/24 19:57
S6	6415	"data transfer system"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/25 06:53
S7	16	"data transfer system" and seki	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/25 07:08
S8	8722	RS232	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/25 07:09

S9	6964	S8 and blocks	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/25 07:08
S10	2098	(RS232 or (serial adj (communication or data))) and (store\$2 or memory) and block and (number near clock)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/25 07:11
S11	0	(RS232 or (serial adj (communication or data))) with (store\$2 or memory) with block with (number near clock)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/25 07:11
S12	4	(RS232 or (serial adj (communication or data))) same (store\$2 or memory) same block same (number near clock)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/25 07:23
S13	0	(RS232 or (synchronous adj serial adj (communication or data))) same (store\$2 or memory) same block same (number near clock)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/25 07:24
S14	0	(RS232 or (synchronous adj serial adj (communication or data))) with ((store\$2 or memory) same block same (number near clock))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/25 07:24
S15	180	(RS232 or (synchronous adj serial adj (communication or data))) and ((store\$2 or memory) and block and (number near clock))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/25 07:25
S16	152	(RS232 or (synchronous adj serial adj (communication or data))) and ((store\$2 or memory) and block and (number near clock)) and mode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/25 12:31

S17	10	(RS232 or (synchronous adj serial adj (communication or data))) and ((store\$2 or memory) same block same (number near3 clock)) and mode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/25 07:25
S18	31	(RS232 or (synchronous adj serial adj (communication or data))) with fast	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/25 07:39
S19	4	(data adj transfer) with (block adj mode) with (burst adj mode)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/25 07:44
S20	0	(data adj transfer) with (block adj mode) with (burst adj mode) with (full adj mode)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/25 07:44
S21	0	(block adj mode) with (burst adj mode) with (full adj mode)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/25 07:45
S22	9	(block adj mode) with (burst adj mode)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/25 07:45
S23	0	(RS232 or (synchronous adj serial adj (communication or data))) and ((store\$2 or memory) and (block adj mode) and (number near clock)) and (burst adj mode)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/25 07:54
S24	3	(RS232 or (synchronous adj serial adj (communication or data))) and (store\$2 or memory) and (block adj mode) and (burst adj mode)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/25 07:56

S25	81	(store\$2 or memory) and (block adj mode) and (burst adj mode)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/25 19:54
S26	4795	375/354	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/25 12:37
S27	179	(RS232 or (synchronous adj serial adj (communication or data))) and ((store\$2 or memory) and block and (number near clock))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/25 19:55
S28	947144	S26 nd S27	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/25 12:37
S29	0	S26 and S27	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/25 12:42
S30	547	375/358	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/25 12:38
S31	0	S27 and S30	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/25 12:42
S32	179	S27	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/25 12:38

S33	547	S30	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/25 12:38
S34	0	S27 and S30	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/25 12:38
S35	0	S26 and S27	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/25 12:40
S36	598	375/369	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/25 12:38
S37	0	S27 and S36	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/25 12:42
S38	250	713/375	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/25 12:39
S39	0	S27 and S38	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/25 12:43
S40	1767	713/400	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/25 12:39

S41	3	S27 and S40	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/25 12:43
S42	986	709/248	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/25 12:40
S43	1	S27 and S42	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/25 12:43
S44	678	340/825.62	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/25 12:41
S45	0	S27 and S44	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/25 12:43
S46	81	(store\$2 or memory) and (block adj mode) and (burst adj mode)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/25 17:26
S47	84	(block adj mode) and (burst adj mode)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/25 12:42
S48	0	S26 and S47	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/25 12:42

S49	0	S47 and S30	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/25 12:42
S50	0	S47 and S36	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/25 12:42
S51	0	S47 and S38	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/25 12:43
S52	5	S47 and S40	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/25 12:46
S53	0	S47 and S42	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/25 12:43
S54	0	S47 and S44	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/25 12:43
S55	4	"4315308".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/25 12:46
S56	0	"4870622.pn"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/25 17:26



S57	2	"4870622".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/25 17:26
S58	2549	shift adj command	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/26 06:36
S59	2	(shift adj command) and (invert adj command)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/25 19:54
S60	2631	(shift adj command) or (invert adj command)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/25 19:54
S61	81	(store\$2 or memory) and (block adj mode) and (burst adj mode)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/25 19:54
S62	0	S60 and S61	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/25 19:55
S63	180	(RS232 or (synchronous adj serial adj (communication or data))) and ((store\$2 or memory) and block and (number near clock))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/25 19:55
S64	0	S60 and S63	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/25 19:56

S65	22	bit adj shift adj command	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/26 06:37
-----	----	---------------------------	---	----	----	------------------